Srivasavi Tapes

adding value always

CELEBRATION 20 YEARS SRIVASAVI ADHESIVE TAPES

Dollar®

Speciality Packing Solutions

MAKE IN INDIA

www.vasavitapes.com

Dollar®

Srivasavi Tapes

The world is greater than the sum of its parts. At Srivasavi Tapes, we believe it is our duty to hold these parts together. A value-based organization, SATL is more than simply a manufacturer and supplier of Adhesive Tapes, Die-cuts & Labels, with an aim to be among the best, we are relentlessly passionate to creating valuable solutions for our valuable customers.

Established in 2002, with the vision to serve the industrial requirement of Industrial Specialty Self-Adhesive Tapes and related products to the world. Srivasavi Tapes has grown to become one of the leaders in this sector.

Serving Domestic and International businesses requirements by building a reputation for understanding the market and delivering quality products at a competitive price. We are proud to be the trusted partners of renowned brands across various sectors and industries.

Over time we have diversified from manufacturing tapes to providing our esteemed clientele with specialty films, foams, adhesives, and many more. Keeping up with the ever-changing demands and technology, Srivasavi Tapes has shown eagerness to expand and grow our services with every challenges

From offering a wide range requirement of automotive & locomotive industry, renewable energy industry, specialty packaging, electrical & electronics, construction industry and specialty adhesive tape solutions to our customers including some of the most well-known brands globally. Srivasavi Tapes has crossed a turnover of over nine million Dollars in a short period of 20 years. In that period, we have also expanded our reach to over 25+ countries–exporting our quality products to meet the needs of customers in the UAE, United Kingdom, the European Union, Australia, Egypt, Thailand, Srilanka and many more countries

Credentials & Certifications

- EN45545 HL3
- ICF
- ROHS
- UL-510
- CLW
- BEML
- ISO 10993: 10 (SKIN IRRITATION)
- SITRA ASTM F1670/F1670M-2017
- ISO 9001: 2015
- ARAI- FR TEST
- IEC- 60529
- REACH

WE ALSO HAVE BEEN IDENTIFIED WITH FOLLOWING AWARDS....

- Govt Of Karnataka Sir M V Manaufacturing Excellence
- FKCCI - Business Excellence
- KASSIA – New Innovative Products
- FKCCI – Best District Exporter
- AO SMITH – Best Supplier
- Industry Out Look –
- Top 10 Industrial Tapes -2021 & 2022
- IIB – Best Adhesive Tapes Manufacturer -2022

adding value always

Cross Filment Tape

Product Code	Description	Special Features	Applications
DCFT - 202B	Cross Filament Tape	➢ Strong Adhesion. ➢ Thick enough. ➢ Moisture resistance & ➢ Ageing resistance. ➢ Heat Resistance. ➢ High Tensile Glass Fibers.	➢ The product is especially recommended for closure of shipping cartons, which are exposed to shocks during transport ➢ High Tensile tape is designed for stabilizing pallets during shipping, sealing and reinforcing sea cartons ➢ Its even unwind strength provides consistent lapping/wrapping ➢ Bundling of heavy duty items.
DCFT - 202BG	Cross Filament Tape		
DCFT - 202D	Cross Filament Tape		
DCFT - 202HTR	Cross Filament Tape		

Mono Filament Tape

Product Code	Description	Special Features	Applications
DMFT - 217	Mono Filament tape	➢ Strong Adhesion. ➢ Thick enough. ➢ Moisture resistance & ➢ Ageing resistance. ➢ Heat Resistance. ➢ High Tensile Glass Fibers.	➢ The product is especially recommended for closure of shipping cartons, which are exposed to shocks during transport ➢ High Tensile tape is designed for stabilizing pallets during shipping, sealing and reinforcing sea cartons
DMTF - 398	Mono Filament tape		

Double Sided Tissue Tape



Product Code	Description	Special Features	Applications
DST - 90HM	D/S Tissue tape	➢ Modified acrylic adhesive. ➢ Multiple applications. ➢ High Adhesion ➢ Smooth adhesive layer. ➢ Easy Release Liner .	➢ Good on application to rough surfaces such as foam, metals and plastic materials. ➢ Double sided tissue tape can be wildly use in electronic devices, like mobile phone and laptop, etc,. ➢ General purpose for example sticking frames and envelopes.
DST - 90S	D/S Tissue tape		
DST - 14070	D/S Tissue tape		
DST - 303	D/S Tissue tape		
DST - 14090	D/S Tissue tape		

HDPE Tape



Product Code	Description	Special Features	Applications
DHDPE-90WL-SC	HDPE Fabric tape	➢ Strong Adhesion. ➢ Thick enough. ➢ Moisture resistance & Ageing resistance. ➢ Good Tensile HDPE Fabric. ➢ Flexible for easy application. ➢ Available in Both with liner and without liner. ➢ Easy released siliconized release liner	➢ The product is especially recommended for closure of shipping cartons, which are exposed to shocks during transport. ➢ Good Tensile tape is designed for stabilizing pallets during shipping, sealing and reinforcing sea cartons. ➢ Its even unwind strength provides consistent lapping/wrapping.Bundling of heavy duty items
DHDPE-90WL-HT-SC	HDPE Fabric tape		

Blue Holding Tape

Product Code	Description	Special Features	Applications
DBHT - 25	Holding tape	➢ Good resistance to aging ➢ High tear strength ➢ Excellent chemical resistance ➢ Good abrasion resistance	➢ Holding application. ➢ Cable Bundling.

PP Fabric Tape



Product Code	Description	Special Features	Applications
PP-90WL-W	PP Fabric tape	➢ Strong Adhesion. ➢ Thick enough. ➢ Moisture resistance & ➢ Ageing resistance. ➢ Good Tensile HDPE Fabric. ➢ Flexible for easy application. ➢ Available in Both with liner and without liner. ➢ Easy released siliconized release liner	➢ Sealing corrosion resistant bags / VCI fabrics ➢ Sealing of HDPE bags in courier Industry ➢ Reinforcing flexible intermediate bulk containers (FIBC)
PP-120WL-BLK	PP Fabric tape		
PP-120BLHT	PP Fabric tape		
PP-90110WL	PP Fabric tape		

Double Side Cloth Tape

Product Code	Description	Special Features	Applications
DSCT 100H1	Double Side Cloth Tape	➢ Specially designed adhesive with excellent flow properties. ➢ Provides excellent immediate bonding. ➢ Uniform adhesive thickness. ➢ Consistent application performance. Flexible adhesive film,good conformability to flat or curved surfaces. ➢ Ease release liner Facilitates easy removal at point of application. One Time Application for Stereo Printing Hazard free substances , Bio Degradable material,	➢ Product is ideal for Cylinder mounting in printing industries, Splicing application & Bonding application ➢ This makes product to be ideal tape for all types of applications such as the bonding of all types Carpets, Nylon / rubber stereos, affixing metal labels, mounting non-woven materials, core starting for paper boards, etc.,
DSCT 100H	Double Side Cloth Tape		

Floor Marking Tape



Product Code	Description	Special Features	Applications
DFMT-150-SC	Floor Marking Tape Single Colour	➢ Good adhesion to most surfaces Unwind without stretching Tough during application Distinct & Bright colour for easy identification Residue free removal Tough PVC film with high resistant to abrasion and cleaning chemicals. ➢ Release coated for easy positioning without shrinkage. Complex rubber adhesive for excellent tackand adhesion to all surfaces.	➢ It is suitable for line marking to delineate lanes and opening, hazard warning to identify potential risk area and safety zone. ➢ Maintain Social Distancing with Floor Marking tape.
DFMT-150-Z	Floor Marking tape -Zebra		

Eco Friendly Paper Tape

Product Code	Description	Special Features	Applications
DPPT-8020	Kraft Paper Tape	➢ Zero Plastic Making it Extremely ➢ Eco Friendly Good holding power. ➢ Possibility of Custom Printing and Branding Good contact on cardboard . ➢ Aggressive Bond even in Recycled Carton Box High adhesion. ➢ Use Friendly and Hand Tear able. ➢ High Strength for Manual and Automatic Application	➢ For Hand and Machine carton sealing ➢ Also used for Splicing various substrates ➢ Also used for general purpose packaging, binding,holding,tabbing, reinforcing, banding and patching applications.
DPPT-PTD-8020	Kraft Paper Printed Tape		
DPPT-8035E	Kraft Paper Tape		
DPPT-8020OC	Paper Tape - Other Colours		
DPPT-9020	Kraft Paper Tape		

Surface Protection Tape

Product Code	Description	Special Features	Applications
DSPT-100R	Surface Protection Tape	➢ With stable and controlled adhesion throughout the transformation process and during storage. ➢ With a significant guarantee of outdoor life (6 months) Easy adherence to slightly irregular surfaces, due to good tack and strong substrate. ➢To preserve the quality and impeccable finish of your surfaces without leaving residues, stains or marking once the film is re-moved In order to reach the ideal adhesion level for laser cutting, it is advisable to wait 48 hrs after lamination.	➢ Used for Color Coated Steel Sheets, Decorative Laminates, Anodized/Powder Coated Aluminum Sections, Marble / Granite, Aluminum Sheets, UPVC Profiles, Stainless Steel Sheets and Wooden Flooring etc.

BOPP Packing Tape

Product Code	Description	Special Features	Applications
BOPP38	BOPP Packing Tape	➢Adheres instantly to a variety of surfaces. ➢Edge tear and split resistance. ➢Good adhesion to fiberboard. ➢Roll to roll consistency increases productivity for improved unit costs	➢ Packing ➢Bundling ➢Masking ➢Edges Protection during lamination of HDPE/PP fabric
BOPP40	BOPP Packing Tape		
BOPP42	BOPP Packing Tape		
BOPP45	BOPP Packing Tape		
BOPP50	BOPP Packing Tape		
BOPP55	BOPP Packing Tape		

BOPP Printing Tape

Product Code	Description	Special Features	Applications
BOPP-PTD42	BOPP Printed Tape	➢ Adheres instantly to a variety of surfaces. ➢ Edge tear and split resistance. ➢ Good adhesion to fiberboard. ➢ Roll to roll consistency increases productivity for improved unit costs	➢ Packing ➢ Bundling ➢ Masking ➢ Edges Protection during lamination of HDPE/PP fabric
BOPP-PTD45	BOPP Printed Tape		
BOPP-PTD50	BOPP Printed Tape		
BOPP HM	BOPP Printed Tape		

Duct Tape



Product Code	Description	Special Features	Applications
DDCUT-35G	SILVER GRAY	➢ Easy tear. ➢ Excellent adhesion to metal, glass, plastic, andsealed concrete. ➢ Good holding power. ➢ Low temperature resistance. ➢ Excellent conformability. ➢ Application for multiple surfaces. ➢ Perfectly waterproof.	➢Applications include bundling, moisture proofing, sealing, splicing, reinforcing and hanging poly drapes. ➢Paint masking, Masking of printed masking circuit boards, Holding application. ➢ Specially designed for wind energy:180G
DDCUT-180G	Duct tape - BlACK		

REINFORCE PAPER TAPE

Product Code	Description	Special Features	Applications
DRPT- 2100	REINFORCE PAPER TAPE	➢ Eco Friendly Water activated Paper Tape ➢ Recommended for sealing light weight corrugated boxes. ➢ Used for two C clips on cartons – top and bottom. ➢ Works well on recycled cartons and non-unitized loads. ➢ Construction assures a reliable performance in a range of environments and applications. ➢ Tape is available Kraft	➢ Used for two strip sealing cartons top and bottom ➢ Works well on recycled cartons, and non-unitized loads. ➢Recommended for use on light weight to average cartons up to 30 pounds (14 kg).

Void Tape



Product Code	Description	Special Features	Applications
Void Tape	Tamper Evident Void Tape	➢ Excellent performance strength ➢ Good adhesion characteristics to keep the packaging intact. ➢It has high resistance to heat, water & moisture. ➢ The glue and the hidden text will be partially transferred to the application surface. The tamper evident material label that for anti-counterfeit and anti-theft.	➢ Applied on corrugated box. ➢ Confidential documents keeps 100% secured ➢ Useful in reducing theft in transit and resolving missing quantity when in bond for FBA sellers.

Carpet Protection Tape

Product Code	Description	Special Features	Applications
DCPT-4510	Carpet Protection Tape	➢ Rough surface protection ➢ Grained or low gloss surface protection (10 to 35%) ➢ Sufficient adhesion level to hold the component ➢ Good wetting behaviour /Initial tack. ➢ Good humidity resistance /Moisture resistance. ➢ Transparency for substrate identification and inspection during application.	➢ DCPT 4016C is ideal product to protect rough or low gloss surfaces, like rough plastics and laminates. Furthermore it's a perfect solution for rough and textured PVDF, PUR, PVC and polyester lacquered substrates ➢These tapes cover gloss levels varying from 8% to 40%. ➢ Ideal product to protect for Aluminium anodizing.

Printed Masking Tape

Product Code	Description	Special Features	Applications
DPMT	Printed Masking Tape	➢Flexible, wet resistant masking ➢Tape with a high tensile strength. ➢Residue free removal. ➢Easy unwinding for better workability ➢Good Initial tack ➢Easy Masking and de-masking. ➢Printing of company logo also can be done	➢ Paint masking. ➢ Stacking of printed masking circuit boards. ➢ Holding application. ➢ Cable Bundling. ➢ Eco-friendly packing

Butyl Tape



Product Code	Description	Special Features	Applications
Plain Butyl	Butyl Tape	➢ Excellent adhesive properties at low temperatures Solvents Free. ➢ Excellent heat stability. ➢ No Oil Migration Seal and protect sensitive surfaces from dust and moisture. ➢ No Flowing under heat. ➢ Resistant to ageing and UV-rays No flowing under heat.	➢ Waterproofing, sealing and jointing materials such as glass, steel, polycarbonate, wood, Aluminium, PVC, industrial roofing, pipes, cable, refrigeration and many other domestic applications.
Butyl with SS Alu	Butyl tape with S/S Aluminium		
Butyl Flashing	Butyl tape beach colour		

PTFE Tape



Product Code	Description	Special Features	Applications
DPTFE-5S-B	PTFE Coated Fibreglass Fabric Tape	➢ Low friction Good release/ non-stick properties Extreme temperature Resistance Good chemical resistance High Strength, flexibility and dimensional stability Excellent electrical properties	➢ Release sheets ➢ Gaskets ➢ Insulation ➢ Conveyor belts for laminators ➢ Endless Dryer belts ➢ Heat sealing in food and Pharmacy industry
DPTFE-5S-G	PTFE Coated Fibreglass Fabric Tape		
DPTFE-P060R	PTFE Coated Fibreglass Fabric Tape		

Double Sided Scrim Tape



Product Code	Description	Special Features	Applications
DSCFT-930	D/S Scrim Tape	➢ An outstanding adhesion level to steel and rough surfaces. ➢ Excellent Adhesion to Even to critical low surface energy materials such as PP, HDPE and PE. Due to high initial tack which provides user an immediate functionality of the laminated bond. ➢ High tensile strength. ➢ Siliconized release liner for easy removal	➢ Mounting of exterior car mirrors in plastic housings. ➢ Mounting of mouldings and decorative trim parts in the furniture industry. ➢ Mounting of battery packs in cellular phones & mounting of screen/lens.

Adhesive Transfer Tape



Product Code	Description	Special Features	Applications
DATT-70EW	Adhesive Transfer Tape	➢ Being a layer of Adhesive, easy to apply,High initial tack Good conformability to flat and curved surface. ➢ Modified emulsion acrylic adhesive. Versatile adhesive. Soft adhesive layer.	➢ Bonding of surface. ➢ Foam gasket bonding. ➢ Holding & Supporting.
DATT-70EH	Adhesive Transfer Tape		
DATT-40HM	Adhesive Transfer Tape		

Double Sided Polyester Tape

Product Code	Description	Special Features	Applications
DSPT-25090T	Double Sided Polyester Tape	➢An outstanding adhesion level. Excellent Adhesion to Even to critical low surface energy materials such as PP and PE. Due to high initial tack which provides user an immediate functionality of the laminated bond. High tensile strength.	➢ Mounting of exterior car mirrors in plastic housings. ➢ Mounting of signage's and flex joints
DSPT-65R	Double Sided Red Polyester Tape		



Srivasavi Tapes

SRIVASAVI Adhesive Tapes Limited

An ISO 9001:2015 Company

adding value always

Corporate Office :
#17/2, 2nd Floor, Kodigehalli Main Road, Diagonal opp. Chairmans Club Office,
Sahakarnagar, Bangalore - 560 092.

☎ +91-080-23629383 / 84 info@vasavitapes.com www.vasavitapes.com

Toll Free No : 1800-890-6365