



Srivasavi Tapes

adding value always



Dollar[®]

Automotive & Locomotive



www.vasavitapes.com



The world is greater than the sum of its parts. At Srivasavi Tapes, we believe it is our duty to hold these parts together. A value-based organization, SATL is more than simply a manufacturer and supplier of Adhesive Tapes, Die-cuts & Labels, with an aim to be among the best, we are relentlessly passionate to creating valuable solutions for our valuable customers.

Established in 2002, with the vision to serve the industrial requirement of Industrial Specialty Self-Adhesive Tapes and related products to the world. Srivasavi Tapes has grown to become one of the leaders in this sector.

Serving Domestic and International businesses requirements by building a reputation for understanding the market and delivering quality products at a competitive price. We are proud to be the trusted partners of renowned brands across various sectors and industries.



Over time we have diversified from manufacturing tapes to providing our esteemed clientele with specialty films, foams, adhesives, and many more. Keeping up with the ever-changing demands and technology, Srivasavi Tapes has shown eagerness to expand and grow our services with every challenges

From offering a wide range requirement of automotive & locomotive industry, renewable energy industry, specialty packaging, electrical & electronics, construction industry and specialty adhesive tape solutions to our customers including some of the most well-known brands globally. Srivasavi Tapes has crossed a turnover of over nine million Dollars in a short period of 20 years. In that period, we have also expanded our reach to over 25+ countries—exporting our quality products to meet the needs of customers in the UAE, United Kingdom, the European Union, Australia, Egypt, Thailand, Srilanka and many more countries



Credentials & Certifications

- | | | | |
|---------------|----------|-----------------------------------|-----------------|
| ✓ EN45545 HL3 | ✓ UL-510 | ✓ ISO 10993: 10 (SKIN IRRITATION) | ✓ ARAI- FR TEST |
| ✓ ICF | ✓ CLW | ✓ SITRA ASTM F1670/F1670M-2017 | ✓ IEC- 60529 |
| ✓ ROHS | ✓ BEML | ✓ ISO 9001: 2015 | ✓ REACH |

WE ALSO HAVE BEEN IDENTIFIED WITH FOLLOWING AWARDS....

- | | |
|--|--|
| ✓ Govt Of Karnataka Sir M V Manufacturing Excellence | ✓ AO SMITH – Best Supplier |
| ✓ FKCCI - Business Excellence | ✓ Industry Out Look – |
| ✓ KASSIA – New Innovative Products | ✓ Top 10 Industrial Tapes -2021 & 2022 |
| ✓ FKCCI – Best District Exporter | ✓ IIB – Best Adhesive Tapes Manufacturer -2022 |

Dollar® Kapton Polyimide Tape



| Product Code | Description | Special Features | Applications |
|--------------|-----------------------|---|--|
| DKT 25 DR | Auto Adhesive Tapes | Good temperature Stability, high Breakdown Voltage, Class H insulation, complies the CLW Specs. | Traction Motor , Coil winding |
| DKT 25 CR | Kapton Adhesive Tapes | Good temperature Stability, high Breakdown Voltage, Class H insulation, Anti Corrosion Properties | PCB insulation, Motor coil winding. SMPS, wave soldering, Gold fingure Masking |

Dollar® FRLT Tape



| Product Code | Description | Special Features | Applications |
|--------------|---|---|---|
| DFRLT 300 | "Fire Retardant Cotton Insulation Tape" | "Resistance to flame Propagation as per UL 510, Easy Tear Tape , High resistance to water, Available in various colours like Red, Blue, Green, Yellow, Black, White , Chocolate, Complies ICF specifications" | "Wire harness, Bundling and Holding , Control Panel wiring , Applications where Propagation of Flame to be controlled in accidental Conditions, Sports Goods" |

Dollar® Aluminium Reinforced Tape




| Product Code | Description | Special Features | Applications |
|--------------|---|--|--|
| DRFT 180 | Aluminium Reinforced with Glass Cloth & Adhesive is coated on the other side | Aluminium Reinforced with Glass Cloth & Adhesive is coated on second side | Rail interior , Airconditioning, HVAC, Refrigeration Industry, Heat Tracing Applications |
| DRFT 407 | Aluminium Reinforced with Glass Cloth & Adhesive is coated on the other side. | "Aluminium Reinforced with glass cloth & Adhesive is coated on the Other Side" | Rail interior , Airconditioning, HVAC, Refrigeration industry, Heat Tracing Applications |

Dollar® Tissue Tape




| Product Code | Description | Special Features | Applications |
|--------------|-------------------------------------|--|---|
| DST 90FR | "Flame Retardant Tissue Tape" | "Excellent Flame Propagation Properties, Good Antifungal Properties, Easy Tear, Easy for application, Excellent Adhesion to Low Surface Energy materials." | "Joining, Mounting , Gasketing & Sealing applications involving irregular surfaces & Fire Sauty applications" |
| DST 90 S | "Double side Tissue Tape (Economy)" | Good Tack & Peel | Permanent & Temporary Mounting |
| DST 150 E | Double side Tissue Tape | Emulsion Adhesive, Easy release liner, Modified Acrylic Adhesive. | Emulsion Adhesive, High Tack High Holding Power, Foam Lamination, HVAC etc., |
| DST 14090 | Double side Tissue Tape | Hot melt Adhesive, High Tack High Holding Power | Hot melt Adhesive, High Tack High Holding Power |

Dollar® Mica Tapes



| Product Code | Description | Special Features | Applications |
|---------------------|----------------------------------|--|--|
| Mastic Tape - 2.0 B | Butyl Sealant Tape / Mastuc Tape | Excellent Heat Stability, Seal & Protect Sensitive Surfaces from Dust & Moisture. Waterproof & cold applied. Resistant to aging & UV-Rays. | For Water Proofing applications in Auto Mobiles, Sealing and Jointing Materials - Glass, Steel, Polycarbonate, Wood, Aluminum, PVC Industrial Roofing, Pipes, Refrigeration. |

Dollar® Duct Tape



| Product Code | Description | Special Features | Applications |
|--------------|-------------|---|--|
| DDUCT 35 | Duct Tape | "Easy tear ,Waterproof Tape. Excellent Adhesion to Metal, Glass, Plastic & sealed Concrete Available in Grey & Black colour. Excellent Holding Power, Low Temperature Resistance" | "Suitable for application on multiple surfaces." |

Dollar® Glass Cloth Tape




| Product Code | Description | Special Features | Applications |
|--------------|---|---|--|
| DGCT 200H | "Glass Fabric Tapes Class H Insulation" | High Temperature Application Tape to work with Class H around 180° Temperature Criteria. High Tensile Strength | "Holding Applications, Aberration Resistance , Wire Harnessing, Sealing of Duct & Chambers , Heat Tracing , Thermal Insulation , Arc Welding." |
| DGCT 503 | "Glass Fabric Tapes Class F Insulation" | High Temperature Application Tape to work with Class F around 155° Temperature Criteria. High Tensile Strength. | "Holding & Binding Applications, Aberration Resistance, Wire Harnessing, Sealing of Duct & Chambers , Heat Tracing, Thermal Insulation, can be used for Temperature Applications upto 155° ,Slot Insulation." |
| DGCT 150 R | Glass Fabric Tapes Class B Insulation | High Temperature Application Tape to work with Class B around 130° Temperature Criteria. High Tensile Strength. | "Holding & Binding Applications, Aberration Resistance, Wire Harnessing, Heat Tracing, Thermal Insulation can be used for Temperature Applications upto 130° , Slot Insulation Electric and Induction type Furnace Power Supply Leads" |

Dollar® Polyester Tape




| Product Code | Description | Special Features | Applications |
|--------------|--|--|---|
| DPT 30 | "Polyester Insulation tapes in various colours like Red, Black, Green, Blue ,Yellow" | "This Insulation Tapes are available in Class B Temperature ranges. Breakdown Voltage to 5 kV & available in carrier thickness of 25 Microns & 50 Microns." | SMPS TRANSFORMERS, Electrical Insulations, Wire Harness suitable for applications in Class B |
| DPT 25 | "Polyester Insulation tapes in various colours like Red, Black, Green, Blue ,Yellow" | "This solvent resistance Insulation tapes are available in Class F temperature ranges Breakdown voltage to 5 kV & available in carrier thickness of 25 Micron & 50 Microns." | "Holding & Binding Applications, Aberration Resistance , Wire Harnessing, Heat Tracing, Thermal Insulation, can be used for Temperature applications upto 130° , Slot Insulation Electric & Induction type Furnace Power Supply Leads." |

Dollar® Nomex Adhesive Tape



| Product Code | Description | Special Features | Applications |
|--------------|---------------------|--|---|
| DNAT 5040 | Nomex Adhesive tape | Superior Heat Resistance which stable Electrical Insulation even under High Temperature. | Superior Heat Resistance which stable Electrical Insulation even under High Temperature |

Dollar® FSK Tape




| Product Code | Description | Special Features | Applications |
|--------------|-----------------------------|---|---|
| DFSK 200 | Foil Scrim Kraft Paper Tape | Excellent Performance in Heat & Humidity Conduction confirms well to irregular surfaces | "Applies easily to both Fibrous & Sheet Metal Duct Used in HVAC & Insulation for all Weather applications." |



| Product Code | Description | Special Features | Applications |
|--------------|-------------------|---|-------------------------------------|
| Silicon Foam | Silicon Foam Tape | Excellent Cushing Good Adhesive Strength, available in various thickness. Complies EN45545-HL 3 Excellent Adhesive Strength | Application in Metro for cushioning |

Dollar® Floating Floor Application




| Product Code | Description | Special Features | Applications |
|----------------------------|---|---|----------------------------|
| Floating Floor Application | "Silicon Base Foam with - EN45545-HL 3" | "High Thickness Foams with Good CompressionExcellent Noise Suppression" | Floating Floor Application |

Dollar® EPDM Foam



| Product Code | Description | Special Features | Applications |
|--------------|---------------------------------------|--|---|
| EPDM90D | Ethylene Propylene Diene Monomer Foam | Good weathering, UV & Ozone resistance Prevents bacteria & mould build-up. Wide operating temperature range. | Automotive Shields for moisture barrier and acoustic. HVAC Electrical and building industries |

Dollar® (PU) FOAMS




| Product Code | Description | Special Features | Applications |
|--------------|-------------|---|--|
| PUF18D-NFR | | Compressibility, Wide range of Density from Low to High Load bearing properties Durability, Tensile Strength Tear Strength, Elongation Air Permeability | Medical Beds & Chairs, Automotive upholstery with fabric lamination, White goods market for different applications |

Dollar® IXLPET




| Product Code | Description | Special Features | Applications |
|--------------|--|---|---|
| IXLPET | "Irradiated Cross-Linked Polyethylene Foam (IXLPE" | Compressibility, Wide range of Density from Low to High Load bearing properties Durability, Tensile Strength Tear Strength, Elongation Air Permeability | Good Temperature Resistance. Excellent Thermal Insulation Properties. Flexibility : Very soft to Semi-Rigid |

Dollar® CXLPE



| Product Code | Description | Special Features | Applications |
|--------------|---|--|---|
| CXLPE | Chemically treated Poly-Ethylene Cross-Linked Foam & Tapes. | Resistant to Moisture,Fungus, Bacteria & Chemicals & available in FR grade | "Industrial Refrigeration, Cold Storage, Cold Water Pipes, AHUs (Air Handling Units), A/C Ducts, Domestic Air Conditioners etc CXLPE Chemically treated Poly-Ethylene Cross-Linked Foam & Tapes Packaging & Cushioning Solutions for Automobiles" |



| Product Code | Description | Special Features | Applications |
|------------------------|-----------------|---|--------------------|
| "Customized Solutions" | Kapton Die-Cuts | Available in Roll form & sheet form to the size as desired by you | Insulation Masking |

Dollar® PE Foam Die Cuts



| Product Code | Description | Special Features | Applications |
|------------------------|------------------|---|---|
| "Customized Solutions" | PE Foam Die-Cuts | Available in Roll form & sheet form to the size as desired by you | Cushioning & Pasting to various surfaces. |

Dollar® Green Masking Die-Cuts




| Product Code | Description | Special Features | Applications |
|----------------------|-----------------------------|--|--|
| Customized Solutions | Green Masking Tape Die Cuts | High Temperature Performance, No residue after removing the Die Cut. Available as per customers drawings, excellent Adhesion to surfaces. | Suitable at High Temperature Masking applications, Masking in Powder Coating application PCB Masking for wave Soldering Gold Finger Masking. |

Dollar® Aluminium Tape Die cuts



| Product Code | Description | Special Features | Applications |
|------------------------|-------------------------|---|---|
| "Customized Solutions" | Aluminium Tape Die Cuts | High Temperature Performance, No residue after removing the Die Cut. Available as per customers drawings, excellent Adhesion to surfaces. | Suitable at High Temperature Masking Applications Masking in Automobile Paint Masking |

Dollar® PU Foam Die Cuts




| Product Code | Description | Special Features | Applications |
|----------------------|------------------|---|--|
| Customized Solutions | PU Foam Die cuts | "High Temperature performance available as per customer drawings. Adhesive as well as Non Adhesive Diecuts Available" | Suitable for Cushioning in Automobile as well Home appliances application. |

Dollar® Masking Tape




| Product Code | Description | Special Features | Applications |
|--------------|------------------------------------|---------------------------|--|
| DMT -308 | Masking Tape -GP | Temp Resistant up to 60° | "Painting in Automotive and Aerospace Industrial furniture" |
| DMT -310 | Masking Tape -GP | Temp Resistant up to 90° | Painting in Automotive and Aerospace Industrial |
| DHMT-150 | High Temperature Masking Tape –150 | Temp Resistant up to 180° | "Paint Masking. Masking of Printed Masking Circuit Boards. Cable Bundling, Automotive & Aerospace Industrial." |

Dollar® Adhesive Transfer Tape



| Product Code | Description | Special Features | Applications |
|---------------|------------------------|---|---|
| DATT-50 HW/HH | Adhesive Transfer Tape | High Coat-Weight Synthetic Rubber Adhesive with Strong Flow-out behavior. The Synthetic Rubber based Adhesive is very Soft & Aggressive with Extreme Wetting Properties to a wide variety of Low Surface Energy Substrates like PE & PP Plastics, as well as to PE, PP & PU & Foams & Felt. | "Extreme Affinity & Adhesion to LSE Substrates like Felt. Excellent Water Jet, Kiss-Cutting & Die Cutting Characteristics. Offers good confirm ability to porous & curved surfaces. Suitable for bonding of a polar plastics & rough surfaces." |
| DATT-70 EW/EH | Adhesive Transfer Tape | Good confirm ability to Flat & Curved Surface, Versatile Adhesive | "Bonding of surface, Foam Gasket Bonding, Holding & Supporting." |
| DATT-467 | Adhesive Transfer Tape | Resistant to most Solvents, High Temperatures & to UV Exposure. Easily converted by Die-Cutting. | "Lamination of Foams, Fabrics & Papers. Attaching Light Weight Signs, Name Plates & Plaques." |

Dollar® HDPE Tape



| Product Code | Description | Special Features | Applications |
|--------------|------------------|--|---|
| HDPE-9040 | HDPE Fabric Tape | Moisture Resistance, Ageing Resistance, Flexible for easy application Good Tensile HDPE Fabric | "Coil Packing in Steel Industry. Good Tensile is designed for Stabilizing Pallets during Shipping, Sealing & Reinforcing Sea Cartons" |

Dollar® Butyl Sealant Tape




| Product Code | Description | Special Features | Applications |
|--------------------|--------------------|--|--|
| Butyl Sealant Tape | Butyl Sealant Tape | Water Proof, Resistant to Ageing & UV-Rays | "Water Proofing, Sealing & Jointing Materials Glass Steel Polycarbonate, Wood, Aluminum, PVC Industrial Roofing, Pipes, Refrigeration" |

Dollar® Cross Filament Tape



| Product Code | Description | Special Features | Applications |
|--------------|---------------------|--|---|
| DCFT-202B | Cross Filament Tape | Strong Adhesion. Thick enough. Moisture resistance & Ageing resistance. Heat Resistance. High Tensile Glass Fibers | Closure of shipping cartons, which are exposed to shocks during transport. Bundling of heavy duty items |



Srivasavi Tapes



SRIVASAVI

An ISO 9001:2015 Company

Adhesive Tapes Limited

adding value always

Unit - 1

B-100, KSSIDC Industrial Estate, Doddaballapur, Bangalore Rural District - 561203.

Ph. : +91-80-27630090 Telefax : +91-80-27630090

Unit - 2

Plot No. IP -1, Gowribidanur Industrial Area, Kudumalakunte Village, Gowribidanur Taluk,

Chikkaballapura Dist. - 561208 Karnataka

Corporate Office :

#17/2, 2nd Floor, Kodigehalli Main Road, Diagonal opp. Chairmans Club Office,

Sahakarnagar, Bangalore - 560 092.



+91-080-23629383 / 84



info@vasavitapes.com



www.vasavitapes.com